
APPENDIX A

SPECIFICATIONS AND PRICING INFORMATION FOR

PASSENGER VEHICLES & TRUCKS 2008 MODEL YEAR



Signature Ford/Lincoln Mercury/Jeep - MiDEAL Contract # 071B8200144

DESCRIPTION

MICH. SPEC. NO.

STATE OF MICHIGAN DEPARTMENT OF MANAGEMENT AND BUDGET PURCHASING OPERATIONS

INDEX TO

SPECIFICATIONS FOR **2008** PASSENGER VEHICLES & TRUCKS

<u>DESCRIPTION</u>	MICH. SPEC. NO.	PAGE NO
Passenger Vehicle Equipment	Preface	A
Truck Equipment	Preface	B-B1
Pre-Delivery Service	Preface	C-C1
Receiving Procedure	Preface	D

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The <u>dealer's vehicle order confirmation sheet</u> listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:

- ☑ With dealers bid submittal to the State of Michigan
- **☑** With original quote from the dealer to the customer
- **☑** Upon delivery of the vehicle from the dealer to the customer
- ☑ Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle

DESCRIPTION

MICH. SPEC. NO.

Diesel Vehicles are indicated with a "D" at the end of the specification number. Alternative Fuel vehicles are indicated with a "A" at the end of the specification number.

PASSENGER VEHICLES

Small, 4-Door Sedan, Auto. Trans.	3905-0002
Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0003
Alt Fuel - 4-Door Sedan, Auto. Trans.	3905-0003A
Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0004
Large, Administrator Series, 4 -Door Sedan, Auto. Trans.	3905-0005
STATION WAGONS	
5-Passenger, Auto. Trans., 4 door	3905-0017
Multi Functional Utility Vehicle,	
5 Passenger, 4-Door, Auto. Trans., 4 door	3905-0018
Alt Fuel - 5 Passenger, Auto. Trans., 4 door	3905-0018A
6-7 Passenger, 4-Door, Auto. Trans.	3905-0019
TRUCKS, LIGHT DUTY	
Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	3958-0020
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	3958-0023
Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., "Work Truck"	3958-0025
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026
Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	3958-0027
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	3958-0027A
Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028
Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028A

DESCRIPTION	MICH. SPEC. NO.
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., mi	n. 3958-0029D
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0030
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs.,	min. 3958-0030A
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., m	in. 3958-0030D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., m	in 3958-0031D
VANS, PASSENGER AND UTILITY	
Panel Van, Payload - 1,700 lbs., min.	3958-0032
Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	3905-0034
Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	3905-0035
Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min.	3905-0036
Sport-Van, 12-Passenger, Payload - 2,649 lbs., min.	3905-0037
Panel Van, Payload - 3,100 lbs., min.	3958-0039
Van, 15-Passenger	3905-0040
Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042
Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042A
Van, Cargo, Compact, Front Wheel Drive	3958-0044
Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive	3905-0045
Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Whee	l Drive 3905-0045A
TRUCKS, LIGHT DUTY	
Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046
Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs.,	min. 3958-0046D

<u>DESCRIPTION</u> <u>MICH</u>	. SPEC. NO.
Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min	ı. 3958-0047D
Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., min.	3958-0048
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 lbs.	3958-0048D
Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049
Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051D
VANS, COMMERCIAL	
Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min.	3905-0057
Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	3905-0058
TRUCKS AND BODIES, MEDIUM DUTY	
Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas	3958-0072
Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diesel	3958-0073
Dump Body and Hoist, 2 cu. yd.	3958-0074
Stake Body, 9 Ft.	3958-0075
Stake Body and Hydraulic Hoist, 9 Ft.	3958-0076
Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077
Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Ga	s 3958-0077D
Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Diesel	3958-0078
Stake Body, 12 Ft.	3958-0079

DESCRIPTION	MICH. SPEC. NO.
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0080
TRUCKS, LIGHT DUTY, 4X4	
Utility Vehicle, 4 Door, Payload 900 lbs., min.	3958-0083
Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 l	lbs., min. 3958-0083A
Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	3958-0084
Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	3958-0085
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs.,	, min. 3958-0086A
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087
Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs.,	min. 3958-0087A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., n	min. 3958-0088D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., n	min. 3958-0089D
Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090
Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs.,	min. 3958-0090A
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091
Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs.,	min. 3958-0091A
Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	3958-0092
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., m	nin. 3958-0092D
Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093
Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093D
Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094

DESCRIPTION	MICH. SPEC. NO.
Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs	., min. 3905-0094A
TRUCKS, MEDIUM DUTY, 4X4	
Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	3958-0096
Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diese Payload 5,800 lbs., min.	el 3958-0098
Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diese Payload 5,930 lbs., min.	el 3958-0099
TRUCK, CUT-AWAY AND VAN BODY	
Truck, Cut-Away, 8,900 lbs. G.V.W.R.	3958-0100
Truck, Cut-Away, 10,000 lbs. G.V.W.R	3958-0101
Van Body, Cut-Away Aluminum	3958-0102
Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.)	3958-0103
Van, Full Body, Aluminum	3958-0104
Van, Full Body, Fiberglass Reinforced Plastic F.R.P.	3958-0105
Truck, Cut-Away, 11,000 lbs. G.V.W.R	3958-0108
Truck, Cut-Away, 14,000 lbs. G.V.W.R	3958-0109
TRUCKS AND BODIES, HEAVY DUTY	
Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas	3958-0110
Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diese	1 3958-0111
Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (4 x 4) 3958-0112
Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel	, (4 x 4) 3958-0113
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas	3958-0114
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diese	1 3958-0115
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4)	4 x 4) 3958-0116

DESCRIPTION	MICH. SPEC. NO.
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel,	(4 x 4) 3958-0117
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs Low P	
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	3958-0135
Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	3958-0136
Stake Body, 12 Ft.	3958-0137
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0141
Dump Body and Hydraulic Hoist, 5-6 Yd.	3958-0158
Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel,	170 HP 3958-0160
Stake Body, 14 Ft.	3958-0161
TRUCKS AND BODIES, HEAVY DUTY	
Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel,	210 HP 3958-0164
Van Body, 20 Ft., Aluminum	3958-0165
Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P.	3958-0167
Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	3958-0170
Dump Body and Hydraulic Hoist, 6.5 cu. yd.	3958-0171
Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	3958-0172
Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	3958-0173
Dump Body and Hydraulic Hoist, 10-12 cu. yd.	3958-0174
<u>TRACTORS</u>	
70,000 lbs. G.C.W.R., Diesel Engine	3958-0178

DESCRIPTION	MICH. SPEC. NO.
TAIL GATES	
Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type	3958-0215
Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0216
Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0217
Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type	3958-0218
Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups)	3958-0219
Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type	3958-0220
Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type	3958-0221

PASSENGER VEHICLE EQUIPMENT

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are <u>to be</u> furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual

Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)

Air Conditioning.

Anti-freeze protection-to -30°F.

Battery-Maximum CCA available.

Brakes-Anti Locking System (ABS)

Color-Manufacturers Standard Color to be selected.

Defroster-Electric, rear window.

Floor Mats-Mfg. Stnd., front and rear, color coordinated.

Glass-Tinted, all around.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

Lights, Daytime Running (If available from manufacturer as standard equipment)

Mirror-Right-hand, outside (factory installed).

Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

Pre-delivery inspection and servicing.

Radio-AM/FM mfg. standard, factory installed.

Rear Axle Ratio for maximum mileage in highway driving.

Seats; Front, Split Bench or Bucket Type

Speed Control, factory installed

Steering-Power, Tilt Wheel.

Tires, Radial, Manufacturers Standard

Upholstery, Seats - Cloth or Cloth and Vinyl.

Wipers, Windshield - dual, intermittent, electric with automatic type washers.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

TRUCK EQUIPMENT

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are <u>to be furnished on all vehicles:</u>

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

TRUCK EQUIPMENT (Continued)

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

- 1. General appearance of body both interior and exterior for completeness and quality of workmanship.
- 2. Lubrication and fluid levels and correcting any leaks:
 - a. Radiator
 - b. Windshield Washer
 - c. Battery
 - d. Power steering pump
 - e. Brake master cylinder
 - f. Engine oil
 - g. Transmission fluid level.
- 3. Mechanical operation of vehicle:
 - a. Steering gear and linkage
 - b. Suspension assembly, front and rear
 - c. Proper tire pressure to normal rated road requirements
 - d. Hood latch
 - e. Head lights, aim and adjust
 - f. Front wheel toe in and torque wheel nuts
 - g. Seat and shoulder belts operative
 - h. All locks and latches to be operative
 - i. Windshield wiper and washer to be operative
 - j. Proper adjustment to all drive belts
- 4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.
- 5. Miscellaneous items to be furnished:
 - a. Manufacturers Window Sticker shall not be removed from vehicle
 - b. Odometer Certification, and Vehicle Curb Weight at time of delivery
 - c. Manufacturers or Dealers Pre-Delivery Check Sheet
 - d. Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered
 - e. Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.

PRE-DELIVERY SERVICE (Continued)

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

- 1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
- 2. Visually inspect under hood for the following items:
 - a. Air cleaner
 - b. Battery and caps
 - c. Radiator cap
 - d. Windshield washer container.
- 3. Check for cracked or broken windows.
- 4. Check trunk compartment for the following:
 - a. Spare tire and wheel
 - b. Jack
 - c. Wheel wrench
 - d. Four hub caps
 - e. Trunk mat.
- 5. Check interior of vehicle for the following items:
 - a. Owner's manual and warranty material
 - b. Cigarette lighter
 - c. Two sets of keys (Three sets for MDOT)
 - d. Make sure all seat belts are installed
 - e. Sun visors
 - f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

Mich. Spec. # 3905-0005 August 2007

PASSENGER VEHICLES: LARGE- ADMINISTRATOR SERIES

4-Door Sedan - (Automatic Transmission)

MODEL-2008 CURRENT NEW

MAKE	<u>W.B.</u>	<u>ENGINE</u>	CYL.
Buick Lucerne	115.6	3.8L	V-6
Chrysler 300	120.0	3.5L	V-6
Chevrolet Impala LT	110.5	3.5L	V-6
Dodge Charger	120.0	3.5L	V-6
Ford Crown Victoria	114.7	4.6L	V-8
Mercury Grand Marquis	114.7	4.6L	V-8

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ Air Bag, Dual
- ☑ Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- ☑ Air Conditioning.
- ✓ Anti-freeze protection-to -30°F.
- ☑ Battery-Maximum CCA available.
- ☑ Brakes-Anti Locking System (ABS)
- ☑ Color-Manufacturers Standard Color to be selected.
- ☑ Defroster-Electric, rear window.
- ☑ Floor Mats-Mfg. Stnd., front and rear, color coordinated.
- ☑ Glass-Tinted, all around.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Lights, Daytime Running (If available from manufacturer as standard equipment)
- ☑ Mirror-Right-hand, outside (factory installed).

STANDARD FACTORY EQUIPMENT CONTINUED

- ☑ Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio-AM/FM mfg. standard, factory installed.
- ☑ Rear Axle Ratio for maximum mileage in highway driving.
- ☑ Seats; Front, Split Bench or Bucket Type
- ☑ Speed Control, factory installed
- ✓ Steering-Power, Tilt Wheel.
- ☑ Tires, Radial, Manufacturers Standard
- ☑ Upholstery, Seats Cloth or Cloth and Vinyl.
- ☑ Wipers, Windshield dual, intermittent, electric with automatic type washers.

Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on all MDOT passenger vehicles.

- ☑ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☑ Locks; power with remote
- ☑ Traction Control

PRICING SHEET

PASSENGER VEHICLES: LARGE- ADMINISTRATOR SERIES				
4-Door Sedan - (Automatic Transmission)				
Mich. Spec	#3905-0005			
Standard Equipped Per above Specification				
Make: Mercury Model: Grand Marquis F.O.B Dealership Delivery Cost Per Mile \$1.50	\$22,596.73*			
Delivery Cost Per Mile \$1.50				
Final Point of Assembly: St. Thomas, Ontario	, CAN formation			
Dealer Name:	. O. M			
Signature Ford/Jeep				
Street Address:				
1960 E. Main St.				
City: Owosso St	ate: MI Zip: 48867			
Contact Name: Bill Campbell				
Telephone: 888-923-5338				
Cell: 810-656-1464				
Fax: 517-625-5832				
E-mail: bcampbell@signatureautogroup.com				

^{*}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

CNGP530	VEHICLE ORDE	R CONFIRMATION	12/21/07 09:10:40 Dealer: L45265
3406/2	ority: B4 Ord F: It Name: 3905-000 RETAIL DLR INV	J3A PO Nun	Page: 1 of 1 pe: E7 Price Level: 820 aber:
WT VIBRANT WHITE 3 LEATHER T/C STS L MED LT STONE 200B ORDER CODE .KEYLESS ENTRY .DUAL PWR SEATS .TRACTION CNTRL .AUTOMATIC A/C .PWR ADJ PEDALS .AUTO DIM MIRROR	920113 \$2 64 45.00	SP DLR ACCT SP FLT ACCT 5 U.S. GAL GA B4A NET INV FLT PRICED DORA DEST AND DE	OPT NC 7.00 NC NC LIV 825 825.00 TIONS 29335 25958.50 29335 25958.50
99V .4.6L OHC FFV V8 44Q .ELEC AOD TRANS T3F .P225/60R17 WSW JOB #2 ORDER F1=Help	NC NC	der F3/1	F12=Veh Ord Menu
F4=Submit S099 - PRESS F4 TO SURM	ro=Add to Librar	ry	QC09623

Mich. Spec. # 3905-0017 August 2007

STATION WAGON,

5 Passenger, 4 Door, Automatic Transmission

MODEL-2008 CURRENT NEW

MAKE	<u>W.B.</u>	ENGINE	CYL.
Chevrolet Equinox	112.5	3.4L	V-6
Dodge Magnum	120.0	3.5L	V-6
Ford Edge	111.2	3.5L	V-6
Pontiac Torrent	112.5	3.4L	V-6
Jeep Compass	103.7	2.4L	I-4

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ Air Bag, Dual
- ☑ Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)
- ☑ Air Conditioning.
- ✓ Anti-freeze protection-to -30°F.
- ☑ Battery-Maximum CCA available.
- ☑ Brakes-Anti Locking System (ABS)
- ☑ Color-Manufacturers Standard Color to be selected.
- ☑ Defroster-Electric, rear window.
- ☑ Floor Mats-Mfg. Stnd., front and rear, color coordinated.
- ☑ Glass-Tinted, all around.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Lights, Daytime Running (If available from manufacturer as standard equipment)
- ☑ Mirror-Right-hand, outside (factory installed).

STANDARD FACTORY EQUIPMENT CONTINUED

- ☑ Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio-AM/FM mfg. standard, factory installed.
- ☑ Rear Axle Ratio for maximum mileage in highway driving.
- ☑ Seats; Front, Split Bench or Bucket Type
- ☑ Speed Control, factory installed
- ✓ Steering-Power, Tilt Wheel.
- ☑ Tires, Radial, Manufacturers Standard
- ☑ Upholstery, Seats Cloth or Cloth and Vinyl.
- ☑ Wipers, Windshield dual, intermittent, electric with automatic type washers.

Delete: On GM vehicles, OnStar and XM radio are deleted.

ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.

Note: No dealer advertising decals are to be on vehicle.

ADDITIONAL MICHIGAN DEPARTMENT OF TRANSPORTATION (MDOT) OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included all on MDOT passenger vehicles.

- ☑ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☑ Locks; power with remote
- ☑ Traction Control

PRICING SHEET

STATION WAGON, 5 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0017						
Standard Equipped Per above Specificat	ion					
Make: Jeep Model: Compass 4x2 26E F F.O.B Dealership Delivery Cost Per Mile: \$1.50	Pkg		\$15,162.12			
Final Point of Assembly: Belvidere, Illino	ois er Inforn	nation				
Dealer Name:		1441011				
Signature Ford/Jeep						
Street Address:						
1960 E. Main St.						
City: Owosso	State:	MI	Zip: 48867			
Contact Name: Bill Campbell						
Telephone: 888-923-5338						
Cell: 810-656-1464						
Fax: 517-625-5832						
E-mail: bcampbell@signatureautogroup.	com					

^{*}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

60PT

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 21, 2007 11:55

VIN:

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

Sold 26135 SIGNATURE JEEP EAGLE

to: 1960 E MAIN STREET OWOSSO, MI 488679063 Ship 26135 SIGNATURE JEEP EAGLE to: 1960 E MAIN STREET OWOSSO, MI 488679063

MKTH49

2008 Jeep COMPASS SPORT FWD 4X2

	Equipment	Description	MSRP	FWP
Model:	MKTH49	Jeep COMPASS SPORT FWD 4X2	16,475	15,492
Package:	26D	Customer Preferred Package 26D	0	0
	ED3	2 4L 4 Cyl DOHC 16V Dual VVI Engine	0	0
	DAV	Continuously Variable Transaxle II	1,100	1,012
Color:	PW1	Stone White Clear Coat	0	0
	APA	Monotone Paint	0	0
	*B7	Cloth Low-Back Bucket Seats	0	0
	-DV	Dark Slate Gray	0	0
Options:	MHM	Speed Control	250	230
	YEP	Manuf Statement of Origin	0	0
	4FT	Fleet Sales Order	0	0
Discounts:	YG6	6.2 Additional Gallons of Gas	0	17
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive	0	0
Funds:	YDH	Customer One Owner Loyalty Mailing	0	25
	M25	DETROIT OUIER - PPA	0	160
	E25	DETROII OUTSTAIE - DAA	0	205
Destination:		-	560	560
	CLX	FLOOR MATS		~ 28.00
Total Price(USD):			18,385	17,701

Priority Code: 99

Fleet Account One: Fleet Account Two: Client Code:

Special Bid Number: TB685615

Purchase Order:

PSP Week (month/week):

Customer Name: Address:

Order Type:

Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

PRICING SHEET

Multi-Functional Utility Vehicle, Front Wheel Drive 5 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0018						
Standard Equipped Per above Specification	on		Standard Equipped Cost			
Make: Jeep Model: Patriot 26D Pkg F.O.B. Dealership Delivery Cost Per Mile: \$1.50			\$14,299.58			
	Final Point of Assembly: Kansas City, MO Dealer Information					
Dealer Name:	11110111	1411011				
Signature Ford/Jeep						
Street Address:						
1960 E. Main St.						
City: Owosso	State:	MI	Zip: 48867			
Contact Name: Bill Campbell						
Telephone: 888-923-5338						
Cell: 810-656-1464						
Fax: 517-625-5832						
E-mail: bcampbell@signatureautogroup.c	com					

^{*}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

LOPY

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 21, 2007 12:30

VIN:

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

Sold 26135 SIGNATURE JEEP EAGLE

to: 1960 E MAIN STREET
OWOSSO, MI 488679063

Ship 26135 SIGNATURE JEEP EAGLE to: 1960 E MAIN STREET OWOSSO, MI 488679063

MKTL74

2008 Jeep PATRIOT SPORT FWD 4X2

	Equipment	Description	MSRP	FWP
Model:	MKTL74	Jeep PATRIOT SPORT FWD 4X2	15,475	14,562
Package:	26D	Customer Preferred Package 26D	0	0
	ED3	2.4L 4 Cyl DOHC 16V Dual VVT Engine	0	0
	DAV	Continuously Variable Transaxle II	1,100	1,012
Color:	PW1	Stone White Clear Coat	0	0
	APA	Monotone Paint	0	0
	*E6	Front Vinyl Tech Bucket Seats	0	0
	-DV	Dark Slate Gray	0	0
Options:	YEP	Manuf Statement of Origin	0	0
	NHM	Speed Control	250	230
	CLX	Luxury Front & Rear Floor Mats	30	28
	K4 7	Accent Color Bodyside Molding	50	46
	4FT	Fleet Sales Order	0	0
Discounts:	YG6	6.2 Additional Gallons of Gas	0	17
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive	0	0
Funds:	YDH	Customer One Owner Loyalty Mailing	. 0	25
	M25	DETROIT OUTER - PPA	0	160
	E25	DETROIF OUTSTAFE - DAA	0	185
Destination:			560	560
Total Price(USD)	:		17,465	16,825

Priority Code: 99

Fleet Account One: Fleet Account Two: Client Code:

Special Bid Number: TB685617

Purchase Order:

PSP Week (month/week):

Customer Name: Address:

Order Type:

Fleet

Instructions:

PRICING SHEET

Multi-Functional Utility Vehicle, Front Wheel Drive 5 Passenger, 4 Door, Automatic Transmission Mich. Spec. #3905-0018						
Standard Equipped Per above Specification	on		Standard Equipped Cost			
Make: Jeep Model: Liberty F.O.B. Dealership Delivery Cost Per Mile: \$1.50			\$17,475.02			
Final Point of Assembly: Toledo, OH	T 0	4.				
	<u>r Inforn</u>	<u>iation</u>				
Dealer Name: Signature Ford/Jeep						
Street Address: 1960 E. Main St.						
City: Owosso	State:	MI	Zip: 48867			
Contact Name: Bill Campbell						
Telephone: 888-923-5338						
Cell: 810-656-1464						
Fax: 517-625-5832						
E-mail: bcampbell@signatureautogroup.	com					

^{*}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 21, 2007 12:23

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

Sold 26135 SIGNATURE JEEP EAGLE

to: 1960 E MAIN STREET OWOSSO, MI 488679063 Ship 26135 SIGNATURE JEEP EAGLE to: 1960 E MAIN STREET OWOSSO, MI 488679063

KKTL74

2008 Jeep LIBERTY SPORT 4X2

	Equipment	Description	MSRP	FWP
Model:	KKTL74	Jeep LIBERTY SPORT 4X2	20,330	19,095
Package:	28B	Customer Preferred Package 28B	0	0
	EKG	3.7L V6 Engine	0	0
	DGV	4-Spd Automatic VLP 42RLE Irans	825	743
Color:	PW1	Stone White Clear Coat	0	0
	APA	Monotone Paint	0	0
	*M7	Cloth Low-Back Bucket Seats	0	0
	-DA	Pastel Slate Gray	0	0
Options:	NHM	Speed Control	250	225
	4FT	Fleet Sales Order	0	0
Discounts:	YGE	5 Additional Gallons of Gas	0	14
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive	0	0
Funds:	YDH	Customer One Owner Loyalty Mailing	0	25
	M25	DETROII OUTER - PPA	0	160
	B25	DEIROIT OUTSTATE - DAA	0	230
Destination:			660	660
Total Price(USD)	:		22,065	21,152

Priority Code: 99

Fleet Account One: Fleet Account Two: Client Code:

Special Bid Number: IB685622

Purchase Order:

PSP Week (month/week):

Customer Name: Address:

Order Type:

Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Mich. Spec. # 3905-0034 August 2007

TRUCK: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE (Payload-1,500 lbs., min.)

(1 ayload-1,500 los., Illin

MODEL-2008 CURRENT NEW

an	JEEP		DODGE	CHEV/GMC
	D CHEROKEE <mark>MMANDER</mark>	/ FORD EXPEDITION	DURANGO HB1M74	TAHOE/YUKON
<u>co</u>	WIWIANDER	<u>EXI EDITION</u>	<u>11D1W1/4</u>	TAHOL/TUKON
G.V.W.R. (lbs.)	5,700	7,400	6,450	7,100
Wheelbase (inches)	109.5	119	119.2	116
Engine: Gasoline	4.7L	5.4L	4.7L	4.8L
Type & No. of Cylinders	V-8	V-8	V-8	V-8
Net H.PS.A.E.	305	300	303	295
Transmission: Automatic				
Axle, Min. Cap. Rear-lbs.	3,650	4,250	3,686	4,100
Springs, Cap. at Ground		. =		
Front-lbs., ea.	TBD	1,750	1,550	1,600
Rear-lbs., ea.	TBD	2,125	1,950	2,050

Tires, Tubeless-P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning All trucks
- ☑ Anti-freeze protection, to -30°F.
- ✓ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- \square Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ✓ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Axle, rear-limited slip.
- ☑ Battery-12 Volt, 600 CCA min.
- ☑ Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- ☑ Brakes-Power.
- ☑ Bumper-Rear, Mfg. Std.
- ☑ Fuel capacity-largest available from mfg.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 54 sq. in. minimum, swing
- ✓ away type. Installed.
- ☑ Seats-Full bench front, & full width seat facing forward back of the front seat.
- ☑ Spare tire and wheel. Full size. Mfg. Stnd. mounting.
- ☑ Stabilizer bar-front.
- ☑ Steering-Power.
- ☑ Wrench-wheel.

PRICING SHEET

GER, FULL SIZE
Standard Equipped Cost
\$19,819.23*
Zip: 48867
_

^{*}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 21, 2007 17:21

VIN:

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

sold 26135 SIGNATURE JEEP EAGLE to: 1960 E MAIN STREET OWOSSO, MI 488679063 Ship 26135 SIGNATURE JEEP EAGLE to: 1960 E MAIN STREET OWOSSO, MI 488679063

XKTH74

2008 Jeep COMMANDER SPORT 4X2

	Equipment	Description	MSRP	FWP
Model:	XKTH74	Jeep COMMANDER SPORT 4X2	27,415	25,239
Package:	28R	Customer Preferred Package 28R	0	0
-	EVE	4.7L V8 Engine	930	818
	DGQ	5-Spd Automatic 545RFE Iransmission	0	0
Color:	PX8	Black Clear Coat	0	0
	APA	Monotone Paint	0	0
	*K7	Cloth Low-Back Bucket Seats	0	0
	-J3	Khaki	0	0
Options:	XED	Manuf Statement of Origin	0	0
Discounts:	YG1	7.5 Additional Gallons of Gas	0	21
Funds:	YDH	Customer One Owner Loyalty Mailing	0	25
	M25	DETROIT OUTER - PPA	0	160
	E25	DETROIT OUISIATE - DAA	0	320
Destination:			695	695
		HB FFP EP		
Total Price(USD)	:	850 27,005 25,998	29,040	27,278

Priority Code: 99 PSP Week(month/week):

Customer Name: Address:

Order Type:

Retail

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

		AND AND
Passenger Vehicles and Trucks	Invitation to Bid No. 07118200027	

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER:	SIGNATURE JEEP	ITEM NO(s). 3905-0054	
MAKE OF TRUCK:	MODEL:	L: CommanDen_GVWR 6200 lbs.	
		7.5 C.A C.E	
ENGINE: (GAS - DIESEL) 4.7L V8 MAKE: JEET	MODEL: COMAN SAE H.P. 305	سما
FUEL TANK(S) CAPACI	TY: 21. GALS. TOTA	AL) TRANSMISSION: SDEED AUTO	
SPRING CAP. @ GROU	HEACH FRONT TED	DS. REAR TOD_ AUXIbs.	
AXLES: FRONT 295	The REAR 365	bs. REAR RATIO 3.07	
	amps. BATTERY		
TIRE SIZE: FRONT PAY	S/65RI FR REAR SAME PF	PR SINGLE DUAL M&S	
TIRE: MAKE _~~~	- CHOICE STYLE NO. STEEL	BECTED RADIMFG. CODE	
HOIST: MAKE	MODEL	INSTALLING CO	
BODY:: MAKE	MODEL	INSTALLING CO.	
POWER LIFT GATE: MA	AKE MODEL_	CAPACITYIbs.	.*
PL	ATFORM SIZE:	·····	
OTHER EQUIPMENT IN	STALLED BY BODY EQUIPMENT	NT SUPPLIER AND/OR COMMENTS	

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Mich. Spec. # 3958-0046 August 2007

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR

(6 Foot Box) (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC	FORD F-350	DODGE 3500
	<u>C20743</u>	W-30	<u>D13H81</u>
G.V.W.R. (lbs.)	9,200	10,100	9,900
Wheelbase (inches)	153	156	160.5
Type & Size of Body	Fleetside/ Wideside	Styleside	Sweptline
Engine: Gasoline Type & No. of Cylinders Net H.PS.A.E.	6.0L V-8 353	5.4L V-8 300	5.7L V-8 345
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	7,280	
Springs, Min. Cap. at Ground Front-lbs. each Rear-lbs. each	2,400 3,042	1,900 3,500	

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- <u>Delete:</u> On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Axle, rear-limited slip.
- ☑ Battery-12 Volt, 600 CCA, minimum.
- ☑ Bumper- Mfg. Std.
- ☑ Brakes-Power.
- ☑ Fuel capacity-largest available from mfg.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., Power Adjustable, below eye level, 40 sq. in.
- ☑ minimum, swing away type. Installed.
- ☑ Spare tire and wheel. Mfg. Stnd. mounting.
- ☑ Speed Control, Factory Installed.
- ☑ Steering-Power.
- ☑ Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

- ☑ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☑ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Stnd.
- ☑ Locks Power Doors, Factory Installed.
- ☑ Seats-Front Split Bench and rear bench, cloth
- ☑ Trailer Hitch, Class III receiver type
- ☑ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR (6 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0046	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: Ford Model: F350 Crew Cab 4x2 F.O.B Dealership Delivery Cost Per Mile \$1.50	\$20,689.85*
Final Point of Assembly: Louisville, KY or Cuautitlan, Mexico Dealer Information	
Dealer Name:	
Signature Ford/Jeep Street Address:	
1960 E. Main St. City: Owosso State: MI	Zip: 48867
Contact Name: Bill Campbell Telephone, 888, 023, 5338	•
Telephone: 888-923-5338 Cell: 810-656-1464	
Fax: 517-625-5832 E-mail: bcampbell@signatureautogroup.com	

^{*}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

CNGP5	CNGP530 VEHICLE ORDER CONFIRMATION				RMATION	12/1:	2/07 17:10:29	
==> _						De	ealer: F48615	
	2008 F-SERIES SD Page: 1 of 2							
Order	No: B000 Prio	rity:	B4 Ord FI	N: QSO4	40 Order T	ype: 5B Pric	ce Level: 830	
Ord C	Code: 610A Cust/Fl	t Name	3958-004	6	PO Nu	mber:		
	R	ETAIL	DLR INV			RETAI	L DLR INV	
W30	F350 4X2CREW/CS \$	26995	\$25156.00	X3L	3.73 LTD S	LIP \$350	\$291.00	
	156" WHEELBASE				JOB #3 BUI	LD		
z_1	OXFORD WHITE CC				10100# GVW	R PKG		
\mathbf{T}	40/20/40 VINYL	400	332.00	41H	ENG BLK HE	ATER NO	C NC	
S	MEDIUM STONE				SPARE TIRE	/WHL3 NO	C NC	
610A	PREF EQUIP PKG			524	TILT WHEEL	150	12500	
	.XL TRIM			525	CRUISE CON	TROL 239	5 195.00	
47Z	.AMB PKG NOT REQ			54P	MANUAL MIR	RORS NO	C NC	
531	.TRAILER TOW PKG	NC	NC					
55D	"DRIVER AIRBAG	NC	NC	TOTAL	BASE AND O	PTIONS 31395	5 26970.30	
55P	.PASSNGER AIRBAG	NC	NC	TOTAL		31395	26970.30	
587	.AM/FM STER/CLK	NC	NC	*THIS	IS NOT AN	INVOICE*		
995	.5.4L EFI V8 ENG	NC	NC					
44T	5-SPD AUTOMATIC	1490	1237.00	* MORE	ORDER INFO	O NEXT PAGE	*	
TBK	.LT245 BSW AS 17				F8=	=Next		
F1=He	lp	F2=Re	turn to Or	der	F3,	/F12=Veh Ord	d Menu	
F4=Su	bmit	F5=Ad	ld to Libra	ry				
s006 -	MORE DATA IS AVA	ILABLE	١.				QC09623	

CNGP	530	VEH	ICLE ORDER C	ONFIRMA	TION	12/12/	07 17:10:42
==>						Dea	ler: F48615
			2008 F-SERIE	S SD		P	age: 2 of 2
Orde	r No: B000 Prio	ority:	B4 Ord FIN:	QS040	Order Type	: 5B Price	Level: 830
Ord	Code: 610A Cust/F	lt Name	: 3958-0046		PO Numbe	r:	
	I	RETAIL	DLR INV			RETAIL	DLR INV
572	AIR CONDITIONER	\$850	\$706.00				
	JACK						
	SP DLR ACCT ADJ		(1351.00)				
	SP FLT ACCT CR		(693.00)				
13	U.S. GAL GAS		40.30				
B4A	NET INV FLT OPT	NC	7.00				
	PRICED DORA	NC	NC				
	DEST AND DELIV	925	925.00				
TOTAL	BASE AND OPTIONS	31395	26970.30				
TOTAL		31395	26970.30				
THIS	IS NOT AN INVOICE	Ξ					

F7=Prev

F4=Submit

F2=Return to Order

F5=Add to Library

F3/F12=Veh Ord Menu

S099 - PRESS F4 TO SUBMIT

QC09623

Passenger	Vehicles	and	Trucks
-----------	----------	-----	--------

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER:	SIGNATURE FORD	TEM NO(s). 3958-0	046			
MAKE OF TRUCK:	FOR MODE	L: <u>F350</u> GVW	R 10100 lbs.			
	W.B. 156					
ENGINE (GAS) DIESEL) 5.4 L VEMAKE: FORD MODEL: F350 SAE H.P.300						
FUEL TANK(S) CAPACITY: 30.5 (GALS. TOTAL) TRANSMISSION: 55PD AUTOV						
	DEACH: FRONT 4850					
AXLES: FRONT 5250 Ibs. REAR 7280 Ibs. REAR RATIO 3.73						
ALTERNATOR:	amps. BATTERY	72AH, 650 00	a.			
	+45/71/X EBSTRREAR SAME					
TIRE: MAKE MANUF (HOKE STYLE NO. BELT	<u>ed radia</u> (MFG. code				
HOIST: MAKE	MODEL	INSTALLING C	0			
BODY:: MAKE	MODEL	INSTALLING	O			
POWER LIFT GATE: MA	KEMODEL	CAPACITY	lbs.			
PLATFORM SIZE:						
OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS						

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Mich. Spec. # 3958-0046D August 2007

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR

(6 Foot Box) (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC	FORD F-350	DODGE 3500
	<u>C20743</u>	W-30	D13H81
G.V.W.R. (lbs.)	9,200	10,600	10,100
Wheelbase (inches)	153	156	160.5
Type & Size of Body	Fleetside/ Wideside	Styleside	Sweptline
Engine: Diesel Type & No. of Cylinders Net H.PS.A.E.	6.6L V-8 365	6.4L V-8 350	6.7L V-8 350
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	7,280	6,200
Springs, Min. Cap. at Ground Front-lbs. each Rear-lbs. each	2,400 3,042	1,900 3,500	TBD TBD

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- \square Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Axle, rear-limited slip.
- ☑ Battery-12 Volt, 600 CCA, minimum.
- ☑ Bumper- Mfg. Std.
- ☑ Brakes-Power.
- ☑ Fuel capacity-largest available from mfg.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., Power Adjustable, below eye level, 40 sq. in.
- ☑ minimum, swing away type. Installed.
- ☑ Spare tire and wheel. Mfg. Stnd. mounting.
- ☑ Speed Control, Factory Installed.
- ☑ Steering-Power.
- ☑ Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

- ☑ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☑ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Stnd.
- ☑ Locks Power Doors, Factory Installed.
- ☑ Seats-Front Split Bench and rear bench, cloth
- ☑ Trailer Hitch, Class III receiver type
- ☑ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR (6 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0046D				
Standard Equipped Per above Specification (Including	Standard Equipped Cost			
options as specified above)				
Make: Ford Model: F350 Crew Cab 4x2 F.O.B Dealership Delivery Cost Per Mile \$1.50	\$26,283.23*			
Final Point of Assembly: Louisville, KY or Cuautitlan, Mexico				
<u>Dealer Information</u>				
Dealer Name:				
Signature Ford/Jeep				
Street Address:				
1960 E. Main St.				
City: Owosso State: MI	Zip: 48867			
Contact Name: Bill Campbell	-			
Telephone: 888-923-5338				
Cell: 810-656-1464				
Fax: 517-625-5832				
E-mail: bcampbell@signatureautogroup.com				

^{*}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

CNGP530 VEHICLE ORDER CONFIRMATION			RMATION	12/12/0	07 17:15:40		
==>	==>					Deal	ler: F48615
			2008 F-SER	IES SD		Pá	age: 1 of 2
Order	No: B000 Prio	rity:	B4 Ord FI	N: QS04	10 Order Type: 5	B Price	Level: 830
Ord PE	EP: 610A Cust/Fl	t Name	3958-004	$\mathcal{Q}_{\mathfrak{d}}$	PO Number:		
	R	ETAIL	DLR INV		1	RETAIL	DLR INV
W30 E	F350 4X2CREW/CS \$	26995	\$25156.00	X3L	3.73 LTD SLIP	\$350	\$291.00
1	156" WHEELBASE				JOB #3 BUILD		
Z1 C	OXFORD WHITE CC				10600# GVWR PKG		
T 4	10/20/40 VINYL	400	332 00	41H	ENG BLK HEATER	NC	NC
S M	MEDIUM STONE			425	50 STATE EMISS	NC	NC
610A E	PREF EQUIP PKG				SPARE TIRE/WHL3	NC	NC
	XL TRIM			524	TILT WHEEL	150	125.00
47Z .	AMB PKG NOT REQ			525	CRUISE CONTROL	235	195.00
531 .	TRAILER TOW PKG	NC	NC				
55D .	DRIVER AIRBAG	NC	NC	TOTAL	BASE AND OPTIONS	38290	32508.10
55P .	PASSNGER AIRBAG	NC	NC	TOTAL		38290	32508.10
587 .	AM/FM STER/CLK	NC	NC	*THIS	IS NOT AN INVOIC	E*	
99R 6	6.4L V8 DIESEL	6895	5723.00				
44B 5	S-SPEED AUTO	1490	1237.00	* MORE	ORDER INFO NEXT	PAGE *	
TBK .	LT245 BSW AS 17				F8=Next		
F1=Hel	.p	F2=Re	turn to Ore	der	F3/F12=V	eh Ord N	Menu
F4=Sub	omit	F5=Ac	d to Libra	ry			
S006 -	MORE DATA IS AVA	ILABLE	Z				QC09623

CNGP530		VEH	ICLE ORDER C	ONFIRMA	TION	-	2/07 17:16:02 Dealer: F48615
			2008 F-SERIE	S SD		_	Page: 2 of 2
Order No:	B000 Pric				Order T	vpe: 5B Pri	ce Level: 830
	610A Cust/Fl						
			DLR INV				L DLR INV
54P MANUA	L MIRRORS	NC	NC				
572 AIR C	ONDITIONER	850	706.00				
JACK							
FRT G	RILLE COVR	NC	NC				
SP DL	R ACCT ADJ		(1558.00)				
SP FL	T ACCT CR		(693.00)				
18 U.S.	GAL GAS		62.10				
B4A NET I	NV FLT OPT	NC	7.00				
PRICE	D DORA	NC	NC				
DEST	AND DELIV	925	925.00				
TOTAL BASE	AND OPTIONS	38290	32508.10				
TOTAL		38290	32508.10				
THIS IS NO	T AN INVOICE	;					
					F7	=Prev	
F1=Help		F2=Re	turn to Orde	r	F3	/F12=Veh Or	d Menu
F4=Submit		F5=Ad	d to Library	,			
	S F4 TO SUBM	IIT					OC09623

Passenger	Vehicles	and	Trucks
i assenge	Vernoics	anu	110000

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER:	SIGNATURE 1	FOND ITEM NO(s).	3958-0046
MAKE OF TRUCK:	FORD	MODEL: F35	GVWR 10600 lbs.
	10 Posema		C.E
ENGINE: (GAS -DIE	SEL) 6 4LV8 MAK	E: FOND MOD	DEL: <u>F350</u> SAEH.P. 3504
FUEL TANK(S) CAP	ACITY: 30, 5	(GALS. TOTAL) TRANSI	MISSION: 55PD AUTO
SPRING CAP. @ GR	OUND EACH: FRONT	4850 Tos REAR	1000 lbs. AUXlbs.
AXLES: FRONT	5250_ lbs. REAF	72801	bs. REAR RATIO 3.73
ALTERNATOR:	35 amps. BA	ATTERY 78 AH	750 cca.
			DUAL M&S
TIRE: MAKE MAKE	UF CHOIGSTYLEN	NO. STEEL BELTE	MFG. CODE
HOIST: MAKE	MODEL		INSTALLING CO.
BODY:: MAKE	MODE		INSTALLING CO.
POWER LIFT GATE:	MAKE	MODEL	CAPACITYIbs.
	PLATFORM SIZE:		
OTHER EQUIPMENT	INSTALLED BY BODY	EQUIPMENT SUPPLIER	AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Mich. Spec. # 3958-0078 August 2007

TRUCK: CAB AND CHASSIS (Payload-6,675 lbs., min.)*

MODEL-2008 CURRENT NEW

	FORD <u>F-450</u>	CHEV/GMC C4C042	DODGE DM4L64
G.V.W.R. (12,500 lbs. min.)	16,000	16,500	16,500
Wheelbase (inches)	165	152	188.5
C.A. (inches)	84	84	84
Engine: Diesel Type & No. of Cylinders Net H.PS.A.E.	6.4L V-8 Turbo 350	6.6L V-8 Turbo 300	6.7L L-6 Turbo 305
Transmission: Automatic with maximum capacity transmission oil cooler. Factory installed	5 Speed w/ PTO	6 Speed w/ PTO	6 Speed 12,000
Axle, Min. Cap. Front-lbs. Rear-lbs.	7,000 12,000	7,000 11,000	7,000 12,000
Springs, Min. Cap. at Ground Front-lbs. each Rear-lbs. each including aux.	3,000 6,000	3,500 5,500	TBD TBD

^{*}SEE Mich. 3958-0079 or Mich. 3958-0080 for body.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. Rear duals, mud and snow, All Terrain Type, tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning All trucks
- ☑ Anti-freeze protection, to -30°F.

- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- \square Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ✓ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ✓ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Axle, rear-limited slip.
- ☑ Battery-12 Volt, 600 CCA, minimum.
- ☑ Brakes-Power.
- ☑ Fuel capacity-largest available from mfg.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, extended
- ☑ reach, swing away type, 51 sq. in. minimum. Installed.
- ☑ Spare tire and wheel. Mfg. Stnd. mounting.
- ☑ Steering-Power
- ☑ Wrench-wheel.

PRICING SHEET

TRUCK: CAB AND CHASSIS (Payload-6,675 lbs., min.)* Mich. Spec. #3958-0078					
Standard Equipped Per above Specification (Including					
options as specified above)					
Make: Ford Model: F350 Chassis Cab 4x2 F.O.B Dealership Delivery Cost Per Mile \$1.50	\$29,356.60				
Final Point of Assembly: Louisville, KY or Cuautitlan, Mexico					
Dealer Name:					
Signature Ford/Jeep					
Street Address:					
1960 E. Main St.					
City: Owosso State: MI	Zip: 48867				
Contact Name: Bill Campbell					
Telephone: 888-923-5338					
Cell: 810-656-1464					
Fax: 517-625-5832					
E-mail: bcampbell@signatureautogroup.com					

^{*}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

CNGP	530	VEH	ICLE ORDER	CONFIR	RMATION		
==>						Dea	ler: F48615
			2008 F-SER	ES SD		P	age: 1 of 2
Orde	r No: B000 Pric	rity:	B4 Ord FIR	N: QS04	10 Order Type:	5B Price	Level: 830
Ord	PEP: 650A Cust/Fl	t Name	: 3958-0078	3	PO Number:		
	F	RETAIL	DLR INV			RETAIL	DLR INV
F46	F450 4X2 CHAS/C \$	27615	\$25713.00	X8T	4.88 LTD SLIP	\$360	\$299.00
	165" WHEELBASE				JOB #3 BUILD		
Z1	OXFORD WHITE CC				16000# GVWR PKG		
Т	40/20/40 VINYL	400	332.00	41H	ENG BLK HEATER	NC	NC
S	MEDIUM STONE			425	50 STATE EMISS	NC	NC
650A	PREF EQUIP PKG			47Z	AMB PKG NOT REQ		
	.XL TRIM				SPARE TIRE/WHLQ	350	291.00
	.TELE TT MIR-MAN			524	TILT WHEEL	150	125.00
55D	DRIVER AIRBAG	NC	NC				
55P	.PASSNGER AIRBAG	NC	NC	TOTAL	BASE AND OPTION	S 39110	33251.95
587	.AM/FM STER/CLK	NC	NC	TOTAL		39110	33251.95
	.AFT AXLE TANK			*THIS	IS NOT AN INVOI	CE*	
99R	6.4L V8 DIESEL	6545	5432.00				
44B	5-SPEED AUTO	1490	1237.00	* MORE	E ORDER INFO NEX	T PAGE *	
THB	225 TRACTION	190	158.00		F8=Next		
F1=H	elp	F2=Re	turn to Ord	der	F3/F12=	Veh Ord	Menu
F4=S	ubmit	F5=Ac	d to Libra	ry			
	SOO6 - MORE DATA IS AVAILABLE. QC09623						

CNGP530	VE	HICLE ORDER CONFIRMA	TION 12/12/07 18:07:57
==>			Dealer: F48615
		2008 F-SERIES SD	Page: 2 of 2
Order No: B0	00 Priority:	B4 Ord FIN: QS040	Order Type: 5B Price Level: 830
		e: 3958-0078	PO Number:
		DLR INV	RETAIL DLR INV
525 CRUISE	CONTROL \$235	\$195.00	
572 AIR CON	DITIONER 850	706.00	
61J JACK	NC	NC	
FRT GRI	LLE COVR NO	NC	
949 HYDRO B	OOST BRK NO	NC	
SP DLR	ACCT ADJ	(1582.00)	
SP FLT	ACCT CR	(693.00)	
31 U.S. GA	L GAS	106.95	
B4A NET INV	FLT OPT NO	7.00	
PRICED	DORA NO	NC	
DEST AN	D DELIV 925	925.00	
TOTAL BASE AN	D OPTIONS 39110	33251.95	
TOTAL	39110	33251.95	
THIS IS NOT	AN INVOICE		F7=Prev
F1=Help	F2=F	eturn to Order	F3/F12=Veh Ord Menu
F4=Submit	F5= <i>F</i>	dd to Library	
S099 - PRESS	F4 TO SUBMIT		QC09623

Passenger	Vehicles	and	Trucks
rassenue	venicles	aniu	HUCKS

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: 516NATU				
MAKE OF TRUCK: FORD	MODEL	: F450°	cn2gvwr 16	000 lbs.
PAYLOAD: 8470	w.b. 169	C.A. 8	4 ~ V C.E	
ENGINE: (GAS (DIESEL) 4 4 10	MAKE: For	MODEL:	F450 SAEH	LP. <u>350</u>
FUEL TANK(S) CAPACITY: 40	GALS. TOTA	AL) TRANSMISSI	ON: 55P.D	AU10
SPRING CAP. @ GROUND EACH: FF		_		
AXLES: FRONT 7000 lbs.				
ALTERNATOR: 13 S am	ps. BATTERY	750	cca.	Acresiai/
TIRE SIZE: FRONT KSWIMS PRE	EAR TRACTION TIRES	R SINGLE	_ DUALM	AS 1
TIRE: MAKE MANUF CHOICE	YLE NO. STEEL	ADIAL MFG.	CODE	manals
HOIST: MAKEM	ODEL	INST	ALLING CO	
BODY:: MAKEN	MODEL	INS	TALLING CO	
POWER LIFT GATE: MAKE	MODEL_	(CAPACITY	lbs.
PLATFORM SIZE	= :			
OTHER EQUIPMENT INSTALLED BY	BODY EQUIPMEN	T SUPPLIER AND	OR COMMENTS	3
			-	

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Mich. Spec. # 3958-0083 August 2007

TRUCK: UTILITY 4-WHEEL DRIVE, 4-DOOR

(Payload-900 lbs., min.)

MODEL-2008 CURRENT

	JEEP LIBERTY <u>KJJH74</u>	CHEVROLET/GMC TRAILBLAZER/ENVOY <u>T15506</u>	CHEVROLET EQUINOX	FORD EXPLORER	DODGE NITRO
G.V.W.R. (lbs.)	5,600	5,750	5,070	6,180	5600
Wheelbase (inches)	106.1	113.0	112.5	114	108.8
Engine: Gasoline Type & No. of Cylinders Net H.PS.A.E.	3.7L V-6 210	4.2L V-6 285	3.4L V-6 185	4.0L OHV V-6 210	3.7 V-6 210

Transmission: Automatic

w/2 speed transfer case, and maximum capacity transmission oil cooler.

Factory installed.

Tires, tubeless radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- \square Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15.000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ✓ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- <u>Delete:</u> On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery-12 Volt, 500 CCA, minimum.
- **☑** Brakes-Power.
- ☑ Bumper-Rear, Mfg. Stnd.
- ☑ Defogger-rear window.
- ☑ Hubs-automatic locking type
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- ☑ swing away type, 24 square inch minimum, Installed.
- ☑ Spare tire and wheel. Full Size. Mfg. Stnd. mounting.
- ☑ Steering-Power
- ☑ Top-Full, hard top.
- ☑ Wiper, Rear, w/Washer
- ☑ Wrench-wheel.

PRICING SHEET

TDUCK, UTILITY A WHEEL DOIN	TE 4 DOOD							
TRUCK: UTILITY 4-WHEEL DRIVE, 4-DOOR								
	(Payload-900 lbs., min.)							
Mich. Spec. #3958-0083								
Standard Equipped Per above Specification (Including	Standard Equipped Cost							
options as specified above)								
Make: Jeep Model: Liberty Sport 4x4	\$19,119.30*							
F.O.B Dealership								
Delivery Cost Per Mile \$1.50								
	•							
Final Point of Assembly: Toledo, OH								
Dealer Information								
Dealer Name:								
Signature Ford/Jeep								
Street Address:								
1960 E. Main St.								
City: Owosso State: MI	Zip: 48867							
Contact Name: Bill Campbell	-							
Telephone: 888-923-5338								
Cell: 810-656-1464								
Fax: 517-625-5832								
E-mail: bcampbell@signatureautogroup.com								

^{**}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 22, 2007 09:03 VIN:

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

Sold 26135 SIGNATURE JEEP EAGLE

to: 1960 E MAIN STREET OWOSSO, MI 488679063 Ship 26135 SIGNATURE JEEP EAGLE to: 1960 E MAIN STREET OWOSSO, MI 488679063

KKJL74

2008 Jeep LIBERTY SPORT 4X4

	Equipment	Description	MSRP	FWP
Model:	KKJL74	Jeep LIBERTY SPORT 4X4	21,940	20,575
Package:	28B	Customer Preferred Package 28B	0	0
	EKG	3.7L V6 Engine	0	0
	DGV	4-Spd. Automatic VLP 42RLE Trans	825	743
Color:	PWl	Stone White Clear Coat	0	0
	APA	Monotone Paint	0	0
	*M7	Cloth Low-Back Bucket Seats	0	0
	-DA	Pastel Slate Gray	0	0
Options:	TBB	Full Size Spare Iire	150	135
•	MHM	Speed Control	250	225
	CLZ	Luxury Front & Rear Floor Mats	55	50
	YEP	Manuf Statement of Origin	0	0
	4FT	Fleet Sales Order	О	0
Discounts:	YGE	5 Additional Gallons of Gas	0	14
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive	0	0
Funds:	YDH	Customer One Owner Loyalty Mailing	0	25
	M25	DETROIT OUTER - PPA	0	160
	E25	DETROIT OUTSTATE - DAA	0	245
Destination:			660	660
Total Price(USD)	:		23,880	22,832
				15
Priority Code: 9	9		2	847=
Fleet Account On	e:		<i>Z</i> . (15 847=

Fleet Account Two: Client Code:

Purchase Order:

Special Bid Number: TB685624 PSP Week (month/week):

Customer Name: Address:

Order Type:

Fleet

Instructions:

Doggonger	Vahioloo	and	Trucko
Passenger	venicles	and	TTUCKS

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: SILNAT	one ford	ITEM NO(s). 395	28,0083	>
MAKE OF TRUCK: JEEP	MODEL	: Lisenty	_gvwr_ <u>560</u> 2	∑lbs.
PAYLOAD: 150 ENGINE (GAS - DIESEL) 3.7L	W.B. 106.	C.A	C.E	ber ena
ENGINE (GAS - DIESEL) 3.7L	V6 MAKE: JEE	MODEL: U	BENT SAE HP.	310
FUEL TANK(S) CAPACITY:	7.5 (GALS. TOT.	AL) TRANSMISSION	4 SPD AL	270
SPRING CAP. @ GROUND EACH:	FRONT NAS	Ibs. REAR NA	Ibs. AUX	lbs.
AXLES: FRONT NA II				} \
ALTERNATOR: 160	amps. BATTERY	600	cca.	
TIRE SIZE: FRONT (216 BSW 45)	R REAR _ 540E P	R SINGLE D	UALM&S_	
TIRE: MAKEMANVE, CHOICE	STYLE NO. STEEL	ADIAL MFG. CO	DE	
HOIST: MAKE	_ MODEL	INSTALL	ING CO	
BODY: : MAKE	MODEL	INSTAL	LING CO.	
POWER LIFT GATE: MAKE	MODEL	CAP	ACITY	lbs.
PLATFORM S	SIZE:		_	
OTHER EQUIPMENT INSTALLED	BY BODY EQUIPMEN	T SUPPLIER AND/OF	COMMENTS	

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Mich. Spec. # 3958-0083A August 2007

TRUCK: UTILITY 2-WHEEL DRIVE, 4-DOOR ALTERNATE FUEL VEHICLES

(Payload-900 lbs., min.)

MODEL-2008 CURRENT CHEV/		(Hybrid) CHEV/			
	GMC YUKON	GMC YUKON	DODGE	JEEP	<mark>JEEP</mark>
	<u>TAHOE</u>	TAHOE	DURANGO	<u>COMMANDER</u>	GRAND CHEROKEE
G.V.W.R. (lbs.)	7,100	7,100	6,450	6,200	5,900
Payload	1,901	1,907	1,650	1,310	1,050
Wheelbase (inches)	116.0	116.0	119.2	109.5	109.5
Engine:	5.3 L E-85	6.0L	4.7L E-85	4.7L	4.7L
Type & No. of Cylinders	V-8	V-8	V-8	V-8	V-8
Net H.PS.A.E.	320	332	303	305	305

Transmission: Automatic

Tires, tubeless radial to meet G.V.W.R. Tread design shall be All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications <u>are to be furnished on all vehicles:</u>

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ✓ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- <u>Delete:</u> On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery-12 Volt, 500 CCA, minimum.
- **☑** Brakes-Power.
- ☑ Bumper-Rear, Mfg. Stnd.
- ☑ Defogger-rear window.
- ☑ Hubs-automatic locking type
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- ☑ swing away type, 24 square inch minimum, Installed.
- ☑ Spare tire and wheel. Full Size. Mfg. Stnd. mounting.
- ☑ Steering-Power
- ☑ Top-Full, hard top.
- ☑ Wiper, Rear, w/Washer
- ☑ Wrench-wheel.

PRICING SHEET

TRUCK: UTILITY 2-WHEEL DRIVE, 4-DOOR ALTERNATE FUEL VEHICLES (Payload-900 lbs., min.)					
Mich. Spe					
Standard Equipped Per above Specification	n (Inclu	ıding	Standard Equipped Cost		
options as specified above)					
Make: Jeep Model: Grand Cherokee 4x F.O.B Dealership Delivery Cost Per Mile \$1.50	2		\$20,763.58*		
Denvery Cost I et Wille \$1.50					
Final Point of Assembly: Detroit, MI					
<u>Dealer</u>	Inforn	<u>nation</u>			
Dealer Name:					
Signature Ford/Jeep					
Street Address:					
1960 E. Main St.					
City: Owosso	State:	MI	Zip: 48867		
Contact Name: Bill Campbell					
Telephone: 888-923-5338					
Cell: 810-656-1464					
Fax: 517-625-5832					
E-mail: bcampbell@signatureautogroup.co	m				

^{**}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 22, 2007 09:10

VIN:

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

Sold 26135 SIGNATURE JEEP EAGLE

to: 1960 E MAIN STREET
OWOSSO, MI 488679063

Ship 26135 SIGNATURE JEEP EAGLE to: 1960 E MAIN STREET

OWOSSO, MI 488679063

WKTH74

2008 Jeep GRAND CHEROKEE LAREDO 4X2

	Equipment	Description	MSRP	FWP
Model:	WKTH 74	Jeep GRAND CHEROKEE LAREDO 4X2	28,520	26,208
Package:	28E	Customer Preferred Package 28E	0	0
•	EVE	4.7L V8 Engine	930	818
	DGQ	5-Spd Automatic 545RFE Transmission	0	0
Color:	PW1	Stone White Clear Coat	0	0
	APA	Monotone Paint	0	0
	*F7	Cloth Low Back Bucket Seats	0	0
	-DV	Dark Slate Gray	0	0
Options:	YEP	Manuf Statement of Origin	0	0
-	4FT	Fleet Sales Order	0	0
Discounts:	YG1	7 5 Additional Gallons of Gas	0	21
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive	0	0
Funds:	YDH	Customer One Owner Loyalty Mailing	0	25
	M25	DETROII OUTER - PPA	0	160
	E25	DEIROIT OUISTAIE - DAA	0	305
Destination:			695	695
motel Price/HED)			30,145	28,232

Total Price(USD):

Priority Code: 99

Fleet Account One: Fleet Account Two:

Client Code:

Special Bid Number: TB685626

Purchase Order:

PSP Week (month/week):

Customer Name:

Address:

Order Type:

Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

_			
Passenger	Vahirlas	and	Trucks
1 033011901	verilles	anu	HUCK

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

		_ ITEM NO(s)
MAKE OF TRUCK: _	JEEPMOD	DEL: GRAND CHERGIVER 5900 lbs.
PAYLOAD:	1050 W. 109	MODEL: CHORDESAE H.P. 305
ENGINE (GAS - DIES	SEL) Y. 7 L. MARE: J.	MODEL: CHORONOSAE H.P. 305
FUEL TANK(S) CAPA	CITY: 21. (GALS. TO	OTAL) TRANSMISSION: _ 5 SPD AUTO
SPRING CAP. @ GRO	DUND EACH: FRONT NA	lbs. REAR/ bs. AUXlbs.
AXLES: FRONT	NA lbs. REAR	Ibs. REARRATIO 3.07
ALTERNATOR:	amps. BATTERY_	ibs. REARRATIO 3.07
		PR SINGLE DUAL M&S
TIRE: MAKEMA~	OF CHOICE STYLE NO. 5700	L BELTOD RADIAL MFG. CODE
HOIST: MAKE	MODEL	INSTALLING CO
BODY: : MAKE	MODEL	INSTALLING CO.
POWER LIFT GATE:	MAKE MODE	ELIbs.
1	PLATFORM SIZE:	
OTHER EQUIPMENT	INSTALLED BY BODY EQUIPME	ENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: UTILITY 2-WHEEL DRIVE, 4-DOOR ALTERNATE FUEL VEHICLES (Payload-900 lbs., min.) Mich. Spec. #3958-0083A			
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost		
Make: Jeep Model: Commander 4x2 F.O.B Dealership Delivery Cost Per Mile \$1.50	\$20,263.63*		
Final Point of Assembly: Detroit, MI			
<u>Dealer Information</u>			
Dealer Name: Signature Ford/Jeep			
Street Address:			
1960 E. Main St.			
City: Owosso State: MI	Zip: 48867		
Contact Name: Bill Campbell			
Telephone: 888-923-5338			
Cell: 810-656-1464			
Fax: 517-625-5832			
E-mail: bcampbell@signatureautogroup.com			

^{**}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

Printed: December 22, 2007 09:16

VIN:

VON:

Estimated Ship Date:

Order Status: BA

Quantity: 01

Sold 26135 SIGNATURE JEEP EAGLE

Ship 26135 SIGNATURE JEEP EAGLE to: 1960 E MAIN STREET

to: 1960 E MAIN STREET
OWOSSO, MI 488679063

OWOSSO, MI 488679063

XKTH74

2008 Jeep COMMANDER SPORT 4X2

	Equipment	Description	MSRP	FWP
Model:	XKTH74	Jeep COMMANDER SPORT 4X2	27,415	25,239
Package:	28R	Customer Preferred Package 28R	0	0
I donage :	EVE	4.7L V8 Engine	930	818
	DGO	5-Spd Automatic 545RFE Transmission	0	0
Color:	PW1	Stone White Clear Coat	0	0
	APA	Monotone Paint	0	0
	*K7	Cloth Low-Back Bucket Seats	0	0
	-J3	Khaki	0	0
Options:	YEP	Manuf Statement of Origin	0	0
open	4FT	Fleet Sales Order	0	0
Discounts:	YG1	7.5 Additional Gallons of Gas	0	21
Non-Equipment:	4FA	Special Bid-Ineligible For Incentive	0	0
Funds:	YDH	Customer One Owner Loyalty Mailing	0	25
	M25	DETROIT OUTER - PPA	0	160
	E25	DETROIT OUISTATE - DAA	0	320
Destination:	203		695	695
Descination.				
			29 040	27 278

Total Price(USD):

29,040 27,278

Priority Code: 99

Fleet Account One: Fleet Account Two: Client Code:

Special Bid Number:

IB685630

Purchase Order:

PSP Week (month/week):

Customer Name:

Address:

Order Type:

Fleet

Instructions:

This is not an invoice. The prices shown are for information purposes only and are subject to change or correction without prior notice.

			STATE OF THE PARTY
Passenger Vehicles and Trucks		Invitation to Bid No. 071/8200027	
	:		

APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER:				
MAKE OF TRUCK: Je	FEP	MODEL: GMMA	-Denguar 620	OO_lbs
PAYLOAD: 13	W.B	109.5 C.A.	C.E	
ENGINE (GAS - DIESEL)	<u>4.72 /8</u> MAKE: _	JEEP MODE	E: Comman SAE HI	305
FUEL TANK(S) CAPACITY	: 21.1 (GAI	LS. TOTAL) TRANSM	SSION: SPEED	AU7 0
SPRING CAP. @ GROUND	EACH: FRONT	Ibs. REAR	Ibs. AUX	lbs.
AXLES: FRONT				07
ALTERNATOR: 160	amps BATTI	RY	30cca.	\wedge
TIRE SIZE: FRONT P245	1658 FR REAR SA	PR SINGLE	DUAL M&S	3/
TIRE: MAKE MANUF	CHOICE STYLE NO	STEEL BELTODRADIM	FG CODE	
HOIST: MAKE				
BODY:: MAKE				
POWER LIFT GATE: MAK				
PLAT	FORM SIZE:			
OTHER EQUIPMENT INST	ALLED BY BODY EQI	JIPMENT SUPPLIER A	ND/OR COMMENTS	
· · · · · · · · · · · · · · · · · · ·				
			-	

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Mich. Spec. # 3958-0090

August 2007

TRUCK: PICK-UP BODY

(6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC K10703	DODGE DR6L61	FORD <u>F-150</u>
G.V.W.R. (lbs.)	6,400	6,350	6,800
Wheelbase (inches)	119.0	120.5	126.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline Type & No. of Cylinders Net H.PS.A.E.	4.3L V-6 195	4.7L V-8 310	4.6L V-8 248

Transmission: Automatic.

with 2-speed transfer case and maximum capacity transmission oil cooler.

Factory installed.

Axle, Min. Caplbs. Front Rear	3,950 3,750	3,900 3,900	4,400 3,800
Springs, Min. Cap. at Ground Front-lbs. each Rear-lbs. each	1,975 1,875	1,930 1,950	1,700 1,750

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications <u>are to be furnished on all vehicles:</u>

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning All trucks
- ☑ Anti-freeze protection, to -30°F.
- ✓ Arm Rest-Driver's side.
- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- \square Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE

EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery-12 Volt, 540 CCA, minimum.
- ☑ Brakes-Power
- ☑ Bumper-Mfg. Std.
- ☑ Fuel capacity-largest available from mfg.
- ☑ Gauges-Temperature and ammeter or voltmeter.
- ☑ Hubs-Automatic locking type or axle shaft disconnect system.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level, swing away type, 40 square inch minimum, Installed.
- ☑ Spare tire and wheel. Full Size. Mfg. Std. mounting.
- ☑ Steering-Power.
- ☑ Wrench-wheel.

PRICING SHEET

TRUCK: PICK-UP BODY	,
(6 Ft. Box) (4 x 4) (Payload-1,300 l)	bs., min.)
Mich. Spec. #3958-0090	,
Standard Equipped Per above Specification (Including	Standard Equipped Cost
options as specified above)	Zuzuzuzuzuzuzuzuzuzuzuzuzuzuzuzuzuzuzuz
options as specifica above)	
Make: Ford Model: F150 R.C. 4x4	\$16,274.13*
F.O.B Dealership	ψ10,274.13
Delivery Cost Per Mile \$1.50	
Denvery Cost Fer Wine \$1.50	
Final Point of Assembly: Dearborn, MI or Kansas City, MC)
<u>Dealer Information</u>	
Dealer Name:	
Signature Ford/Jeep	
Street Address:	
1960 E. Main St.	
City: Owosso State: MI	Zip: 48867
Contact Name: Bill Campbell	_
Telephone: 888-923-5338	
Cell: 810-656-1464	
Fax: 517-625-5832	
E-mail: bcampbell@signatureautogroup.com	
	0 1 11 1 7771 1

^{**}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

CNGP530 V	EHICLE ORDER CONFI	RMATION 12/12/	07 18:52:02
==>		Dea	aler: F48615
	2008 F-150	E	Page: 1 of 1
Order No: B000 Priority	: B4 Ord FIN: QSO	40 Order Type: 5B Price	Level: 820
Ord PEP: 502A Cust/Flt Na	me: 3958-0090A	PO Number:	
RETAI	L DLR INV	RETAIL	DLR INV
F14 F150 4X4 SS R/C \$2319	0 \$21617.00	6800# GVWR	
126" WHEELBASE		JOB #2 ORDER	
YZ OXFORD WHITE CC	52N	CRUISE CONTROL 225	187.00
A VINYL 40/20/40 N	C NC 572	AIR CONDITION 850	706.00
E FLINT		SP DLR ACCT ADJ	(1049.00)
502A PREF EQUIP PKG		SP FLT ACCT CR	(310.00)
XL SERIES	5	U.S. GAL GAS	15.50
.CARPET DELETE	B4A	NET INV FLT OPT NC	7.00
.MAN BLK MIRRS		PRICED DORA NC	NC
.AM/FM STEREO		DEST AND DELIV 925	925.00
64C .17" GREY STEEL	TOTAL	BASE AND OPTIONS 25190	22098.50
99W 4.6L EFI V8 ENG	TOTAL	25190	22098.50
44Q ELEC 4-SPD AUTO N	C NC *THIS	IS NOT AN INVOICE*	
T7B .P235 BSW A-T			
X19 3.55 REG AXLE N	C NC		
F1=Help F2=	Return to Order	F3/F12=Veh Ord	Menu
F4=Submit F5=	Add to Library		
S099 - PRESS F4 TO SUBMIT			QC09623

Passenger	Vehicles	and	Trucks
i accorngo	4 01110100	and	110000

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces. Thendo d to be NAME OF BIDDER: SIGNATURE FOR ITEM NO(s). MAKE OF TRUCK: MODEL: PAYLOAD: VS MAKE: MODEL: **FUEL TANK(S) CAPACITY:** (GALS. TOTAL) TRANSMISSION: 💛 🤉 Ibs. REAR RATIO 3.5 amps. BATTERY ALTERNATOR: PR REAR SAME PR SINGLE TIRE: MAKE MANUF CHOICE STYLE NO. HOIST: MAKE MODEL ____INSTALLING CO. MODEL ______ INSTALLING CO. BODY: : MAKE MODEL_____Ibs. POWER LIFT GATE: MAKE PLATFORM SIZE: OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Mich. Spec. # 3958-0090A August 2007

TRUCK: PICK-UP BODY

(6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/GMC <u>K10703</u>	DODGE DR6L61	FORD F-150
G.V.W.R. (lbs.)	6,400	6,350	6,800
Wheelbase (inches)	119.0	120.5	126.0
Type & Size of Body	Fleetside/ Wideside	Sweptline	Styleside
Engine: Gasoline Type & No. of Cylinders Net H.PS.A.E.	5.3L V-8 315	4.7L V-8 310	4.6L V-8 248
Transmission: Automatic			

Transmission: Automatic.

with 2-speed transfer case and maximum capacity transmission oil cooler.

Factory installed.

Axle, Min. Caplbs. Front Rear	3,950	3,900	4,400
	3,750	3,900	3,800
Springs, Min. Cap. at Ground Front-lbs. each Rear-lbs. each	1,975 1,875	1,930 1,950	1,700 1,750

Tires, tubeless, radial to meet G.V.W.R. Tread design shall be similar to Goodyear Wrangler AT, or Michelin XC-AT.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☑ 12 Volt auxiliary outlet
- ☑ Air Conditioning All trucks
- ☑ Anti-freeze protection, to -30°F.
- ☑ Arm Rest-Driver's side.

- ☑ Color-Manufacturers Standard to be selected.
- ☑ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☑ Dome Light.
- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- \square Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ✓ Pre-delivery inspection and servicing.
- ☑ Radio AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this vehicle.

- ☑ Alternator-80 amp., min.
- ☑ Battery-12 Volt, 540 CCA, minimum.
- ☑ Brakes-Power
- ☑ Bumper- Mfg. Std.
- ☑ Fuel capacity-largest available from mfg.
- ☑ Gauges-Temperature and ammeter or voltmeter.
- ☑ Mirrors-Rear View, Inside. Outside R.H. and L.H., below eye level,
- ☑ swing away type, 40 square inch minimum, Installed.
- ☑ Spare tire and wheel. Full Size. Mfg. Std. mounting.
- ☑ Steering-Power.
- ☑ Wrench-wheel.

ADDITIONAL MDOT OPTIONS:

(Note: These options are not included in the MiDEAL price)

These options <u>are in addition</u> to the options listed above as "STANDARD FACTORY EQUIPPED" and are to be included on this MDOT vehicle.

- ☑ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☑ Hubs-Automatic locking type on front (MDOT) or axle shaft disconnect system.
- \boxtimes Keys (1) additional set (total of 3 sets) with code numbers; shall be with the vehicle at the time of delivery.
- ☑ Skid Plate(s)
- ☑ Tow hooks-front, frame mounted.

PRICING SHEET

TRUCK: PICK-UP BODY (6 Ft. Box) (4 x 4) (Payload-1,300 lbs., min.) Mich. Spec. #3958-0090A				
Standard Equipped Per above Specification (Including	Standard Equipped Cost			
options as specified above)				
Make: Ford Model: F150 R.C. 4x4 F.O.B Dealership	\$16,274.13*			
Delivery Cost Per Mile: \$1.50				
Final Point of Assembly: Dearborn, MI or Kansas City, MO				
Dealer Information				
Dealer Name:				
Signature Ford/Jeep				
Street Address:				
1960 E. Main St.				
City: Owosso State: MI	Zip: 48867			
Contact Name: Bill Campbell				
Telephone: 888-923-5338				
Cell: 810-656-1464				
Fax: 517-625-5832				
E-mail: bcampbell@signatureautogroup.com				

^{**}Please Note: A <u>vehicle order confirmation sheet</u> is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

CMGP530	VEHICLE	ORDER	CONFI	RMATION	12/12/	07 19:01:15
==>					Dea	ler: F48615
	2008	F-150			P	age: 1 of 1
Order No: B000 Pric	ority: A5	Ord FI	N: QSO	40 Order Type: 5	B Price	Level: 820
Ord PEP: 502A Cust/Flt Name: 3958-0090A PO Number:						
E	RETAIL DL	R INV			RETAIL	DLR INV
F14 F150 4X4 SS R/C \$	\$23190 \$216	17.00		6800# GVWR		
126" WHEELBASE				JOB #2 ORDER		
YZ OXFORD WHITE CC			52N	CRUISE CONTROL	225	187.00
A VINYL 40/20/40	NC	NC	572	AIR CONDITION	850	706.00
E FLINT				SP DLR ACCT ADJ		(1049.00)
502A PREF EQUIP PKG				SP FLT ACCT CR		(310.00)
.XL SERIES			5	U.S. GAL GAS		15.50
.CARPET DELETE			B4A	NET INV FLT OPT	NC	7.00
.MAN BLK MIRRS				PRICED DORA	NC	NC
.AM/FM STEREO				DEST AND DELIV	925	925.00
64C .17" GREY STEEL			TOTAL	BASE AND OPTIONS	25190	22098.50
99W 4.6L EFI V8 ENG			${\tt TOTAL}$		25190	22098.50
44Q ELEC 4-SPD AUTO	NC	NC	*THIS	IS NOT AN INVOIC	E*	
T7B .P235 BSW A-T						
X19 3.55 REG AXLE	NC	NC				
F1=Help	F2=Return	to Ord	der	F3/F12=V	eh Ord N	Menu
F4=Submit	F5=Add to	Libra	rу			
S099 - PRESS F4 TO SUBM	IIT					QC09623

Passenger	Vehicles	and	Trucks
1 033011901	A CHIICIGO	anu	110003

Invitation to Bid No. 07118200027



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER:SIGN	TATURE FORD ITEM NO(S)	3958-0090A
MAKE OF TRUCK: FOR		
PAYLOAD:/840 V	W.B. 1261 C.A	C.E
		DEL: FISO SAEH.P. 248
FUEL TANK(S) CAPACITY:	(GALS, TOTAL) TRANS	SMISSION: 45PA AUTO
SPRING CAP. @ GROUND EACH	FRONT 3600 Ibs. REAR	3850 lbs. AUXlbs.
AXLES: FRONT 3800	les REAR 4400 3850	bs. REAR RATIO 3 55
ALTERNATOR: 10	amps. BATTERY 58A	540, cca.
ALTERNATOR: 10 P 235 BS	PR REAR <u>SAME</u> PR SINGLE	DUALM&S
TIRE: MAKE _MANUF CHOICE	STYLE NO. RADIA	MFG. CODE
HOIST: MAKE	MODEL	_INSTALLING CO
BODY:: MAKE	MODEL	INSTALLING CO
POWER LIFT GATE: MAKE	MODEL	CAPACITYIbs.
PLATFORM	SIZE:	
OTHER EQUIPMENT INSTALLED	BY BODY EQUIPMENT SUPPLIE	R AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.